

- Classification Editor –

FOR RISKMAN VERSION 20.06

Last reviewed June 2020

CONTENTS

Introduction	2
What is RiskCat?	2
The Classification Editor.....	3
How do I access the Classification Editor?.....	3
How do I add a new Supergroup?.....	3
How do I add a new Class?	4
How do I add a new Definition?	6
Mandatory Classes	8
Click on Goto the ‘Supergroup Sorter’ in the Control Panel.....	8
How do I rename a Supergroup, Class or Definition?	9
How do I delete a Supergroup, Class or Definition?.....	10
Can I change the layout of the RiskCat?.....	11
To reposition the Supergroups.....	12
Can I view the changes I have made to RiskCat?.....	12
Can I printout the RiskCat Classifications?	13
What does the ‘Classification Supergroup Sorter’ page do?	13
To access the Classification Supergroup Sorter page.....	14
Modify the title text and background colours	15
Specify a Supergroup is mandatory when it is displayed in RiskCat	16
Specify if only one item may be selected from a Supergroup.....	16
Altering the visual layout of your Supergroups	17
To change the initial state of a Supergroup.....	17
Supergroups can be hidden based on selected ‘Incident Involved’ types.....	19
How do I arrange my Supergroups into a tree view?.....	20
Example of your RiskCat arranged in a tree view	20
Example of one of the Supergroups expanded in RiskCat	21
What happens to my existing incidents if changes are made to RiskCat?.....	21
To access the Classification Re-Mapper page	22
Re-mapping Incidents to New Classifications	23
To re-map the existing classes/definitions to the modified active RiskCat.....	24
To re-map the existing classes/definitions to the modified active RiskCat.....	25

INTRODUCTION

This reference guide is aimed at Administrators who will be responsible for configuring and maintaining the RiskCat set of classifications to be used with Incident Entry and Incident Reports in RiskMan.


What is RiskCat?

RiskCat is the tool which provides users entering incidents with the ability to select the nature of an incident e.g. Aggression, Falls, Medication Errors, Infection Control, Injuries, Pressure Ulcers. These listings are grouped up to 3 levels:

- **Supergroups** (top level)
- **Classes** (second level)
- **Definitions** (third level)

Your RiskMan Administrator has full control over the content and layout of your RiskCat and a remapping tool to enable you to re-map existing posted and/or unposted incidents from old classifications to new classifications

The administration and management of these classifications is done through the 'Classification Editor' tool which includes the following options:



- Ability to add new, delete existing, or rename Supergroups, Classes and Definitions
- Design the layout of the RiskCat by changing the order in which the Supergroups are displayed as well as the order in which the accompanying classes and definitions are displayed within each Supergroup
- Specify the text and background colours for each Supergroup (and accompanying Classes and Definitions)
- Specify which Supergroups are not displayed for specific "Incident Involved" types
- Ability to re-map existing unposted and/or posted incidents to new supergroups/classifications/definitions

Note: If you wish additional customisations that are not available in the standard Classification Editor e.g. certain incident fields or sections are only displayed based on a selected classification, please contact support at RiskMan - support@riskman.net.au

THE CLASSIFICATION EDITOR


How do I access the Classification Editor?

The 'Classification Editor' can be accessed by selecting *Administration -> Classification Editor* from the menu.

How do I add a new Supergroup?


Option 1: Placing a new Supergroup at the bottom of the list of Supergroups

1. Click on the **Add New Supergroup** ❶ button
2. A Supergroup label 'New Supergroup' ❷ will be added to the bottom of your Classifications list. Ensure that this label is selected (if not, double click the label) and enter the **Supergroup** name
3. Check mark the **Supergroup** to make it active
4. Press **Save Changes Now** ❸ when ready to save



Option 2: Place the new Supergroup above or below a selected Supergroup

1. Highlight the Supergroup in the list ❶ where the new Supergroup is to appear above or below it, and the 'Control Panel' will expand to display extra options
2. Click on the respective **Insert Supergroup above the selected one** ❷ or **Insert Supergroup below the selected one** ❸ link. A new label 'New Supergroup' will be added to the list. Ensure the label is selected (if not, double click the label) and enter your new **Supergroup** name
3. Check mark the **Supergroup** to make it active
4. Press **Save Changes Now** ❹ when ready to save



How do I add a new Class?


Option 1: Place a new Class at the end of a Supergroup listing

- 1 Highlight the Supergroup in the list where the Class is to appear under and the 'Control Panel' will expand to display extra options
- 2 Press the **Add a new Class on the next level** button and a new label 'New Class' will be added to the bottom of the list.



Ensure the label is selected (if not, double click the label) and enter your new Class name. Check mark the new Class to make it active

- 3 Press Save Changes Now when ready to save




Option 2: Place a new Class above or below a selected Class within a Supergroup

- 1 Highlight the Class in the list where the new Class is to appear above or below it, and the 'Control Panel' will expand to display extra options
- 2 Click the respective **Insert a Class above the selected one** or **Insert a Class below the selected one** link. A new label **'New Class'** will be added to the list.



Ensure that this label is selected (if not, by double click the label) and enter your new **Classification name**

- 3 Check mark the new **Class** to make it active
- 4 Press **Save Changes Now** when ready to save



How do I add a new Definition?

Option 1: Place a new Definition at the end of a Class listing

- 1 Highlight the Class in the list where the Definition is to appear under and the 'Control Panel' will expand to display extra options
- 2 Press the **Add a new Definition on the next level** button and a new label 'New Definition' will be added to the bottom of the list.

New Definition

Ensure the label is selected (if not, double click the label) and enter your new **Definition** name

- 3 Check mark the new **Definition** to make it active
- 4 Press **Save Changes Now** when ready to save

The screenshot shows the 'Classification Editor' application window. The top navigation bar includes 'My Workspace', 'Management', 'Administration', 'Analysis', 'Help', and 'Log Out'. The user is identified as 'System Manager (Manager)'. The main area is divided into two panes. The left pane displays a tree view of classification classes, with 'Type Of Abuse' selected under 'Elder Abuse'. A red circle '1' highlights the 'Type Of Abuse' class, and another red circle '3' highlights the 'New Definition' entry at the bottom of its list. The right pane, titled 'Control Panel', contains several buttons: 'Review RiskCat Selector', 'Collapse All', 'Expand All', 'Add New Supergroup', and several 'Goto the...' buttons. Below this is a section titled 'There are Unsaved Changes.' with 'Save Changes Now' (circled in red '4') and 'Cancel Changes.' buttons. At the bottom of the control panel, a section titled 'You have selected a Class' offers actions like 'Insert a Class above/below the selected one', 'Add a new Definition on the next level.' (circled in red '2'), 'Delete this Class.', 'Rename this Class.', and 'Collapse all Classes.'


Option 2: Placing the new Definition above or below a selected Definition within a Class

- 1 Highlight the Definition in the list where the new Definition is to appear above or below it, and the 'Control Panel' will expand to display extra options
- 2 Click the respective **Insert a Definition above the selected one** or **Insert a Definition below the selected one** link. A new label 'New Definition' will be added to the list.

New Definition

Ensure the label is selected (if not, double click the label) and enter your new **Definition** name


- 3 Check mark the new **Definition** to make it active
- 4 Press **Save Changes Now** when ready to save



Mandatory Classes

There is an option to allow you to specify if a Supergroup/Class combination is to be a mandatory selection if it is displayed in the RiskCat


- 1 Click on the **Goto the Mandatory Class Editor** link in the 'Control Panel' of any of your Classification Editor pages
A new **Mandatory Class Editor** page will be displayed
- 2 Check mark the **Classe/s** that are to be mandatory if visible in RiskCat at the time the incident is being entered



- 3 Click **Save Changes Now** when ready to save

Next you need to enable the Supergroup as Mandatory.

- 4 Click on **Goto the 'Supergroup Sorter'** in the Control Panel
- 5 Select the Supergroup you chose in the **Mandatory Class Editor**
- 6 Put a tick in the **When shown, an entry in this supergroup is Mandatory** checkbox
- 7 Press **Save Changes Now** when ready to save




How do I rename a Supergroup, Class or Definition?

Option 1:

- 1 Double click the existing **Supergroup, Class** or **Definition** and enter the new label name
- 2 Press **Save Changes Now** when ready to save

Option 2:

- 1 Highlight the **Supergroup, Class** or **Definition** in the list
- 2 Press the respective **Rename this Supergroup, Rename this Class** or **Rename this Definition** link in the 'Control Panel' and enter the new label name
- 3 Press **Save Changes Now** when ready to save



How do I delete a Supergroup, Class or Definition?

- 1 Highlight the **Supergroup, Class** or **Definition** in the list
- 2 Press the respective **Delete this Supergroup, delete this Class** or **Delete this Definition** link in the 'Control Panel'
- 3 A pop-up message will ask you to confirm or cancel the deletion. Click **OK**
- 4 Press **Save Changes Now** when ready to save

Note: The pop-up message asking if you wish to continue with the deletion process will not display if you are deleting a Definition. The Definition will just delete from your list

The screenshot shows the 'Classification Editor' application window. The top menu bar includes 'My Workspace', 'Management', 'Administration', 'Analysis', 'Help', and 'Log Out'. The user is identified as 'System Manager (Manager)'. The main area is divided into a tree view on the left and a 'Control Panel' on the right. The tree view lists various categories like 'Aggression', 'Substance Abuse', 'Elder Abuse', etc., with sub-items and checkboxes. A red circle '1' highlights the 'New Definition' input field. A central dialog box asks 'Are you sure you wish to delete that Class?' with 'OK' and 'Cancel' buttons, and a red circle '3' highlights the 'OK' button. The 'Control Panel' on the right contains several links: 'Review RiskCat Selector', 'Collapse All', 'Expand All', 'Add New Supergroup', 'Goto the 'Supergroup Sorter'', 'Goto the 'Mandatory Class Editor'', 'Goto the 'Classification Remapper'', and 'Goto the 'Classification Exporter''. Below these is a section titled 'There are Unsaved Changes.' with 'Save Changes Now' (circled '4') and 'Cancel Changes.' links. At the bottom, a section titled 'You have selected a Class' lists actions: 'Insert a Class above the selected one.', 'Insert a Class below the selected one.', 'Add a new Definition on the next level.', 'Delete this Class.' (circled '2'), 'Rename this Class.', and 'Collapse all Classes.'

Can I change the layout of the RiskCat?

The order in which the Classes and Definitions appear in your RiskCat, as well as which Supergroup and/or Class they appear under can be done via the ‘Classification Editor’ page.


Re-arrange Supergroups, Classes, or Definitions

The layout of the Supergroups, this needs to be done via the ‘Classification Supergroup Sorter’ page

Definitions cannot be moved independent of the class they are under.

To reposition the Classes


- 1 Click on the respective **Class** in the list
- 2 Click the **+** symbol next to the Class and drag it over the class you want it to appear under and drop it
- 3 Release the mouse and the respective **Class** or Definition will be re-positioned accordingly
- 4 Press **Save Changes Now** when ready to save







Note: You can move a Class to appear under a different Supergroup and that Class Definitions will be moved along with the Class to the new position.




To reposition the Supergroups

- 1 Click on the **Goto the 'Supergroup Sorter'** link.
- 2 This will take you to the **'Classification Supergroup Sorter'** page
- 3 To move a Supergroup, click on the  icon next to the respective Supergroup and drag to the desired position
- 4 Press **Save Changes Now** when ready to save




Can I view the changes I have made to RiskCat?


To preview the RiskCat, you can display all **active** Supergroups, Classes and Definitions, by clicking on the **'Review RiskCat Selector'** 1 link which is available on **ANY** page accessed from the Classification Editor.



Can I printout the RiskCat Classifications?


A snapshot of your RiskCat, displaying all **active** Supergroups, Classes and Definitions, can be exported to Excel™ in spreadsheet format and printed from Excel™

- 1 To export your classifications, click on the **'Goto the Classification Exporter'** link which is **ONLY** available on **'Classification Editor'** page
- 2 To export your classifications to Excel™, click on the  icon. The classifications will display in spreadsheet format.



Classification Exporter

[Return to the 'Classification Editor'](#)

 2

Edit Column	Delete Column	Supergroup	Class	Definition
Edit	Delete	Absconding	Abscond Context	Assessed At Risk
Edit	Delete	Absconding	Abscond Context	Known psychiatric diagnosis
Edit	Delete	Absconding	Abscond Context	Not Psychiatric Related
Edit	Delete	Absconding	Abscond Context	Previous attempts
Edit	Delete	Absconding	Abscond Context	Successful (Compromise)
Edit	Delete	Absconding	Abscond Context	Successful (No Compromise)
Edit	Delete	Absconding	Abscond Type	Attempted
Edit	Delete	Absconding	Abscond Type	Exit against medical advice
Edit	Delete	Absconding	Abscond Type	Exit prior to assessment


What does the 'Classification Supergroup Sorter' page do?

The Classification Supergroup Sorter page allows you to:

- Specify the colour of the backgrounds and labels of your Supergroups and your Classes/Definitions
- Hide specific Supergroups when certain 'Incident Involved' types are selected in the Incident Notification e.g. you may only want to view specific hazard related classifications for Hazard incidents and OH&S related Supergroups for OH&S and staff incidents
- Specify if a selection from a Supergroup is mandatory if that Supergroup is displayed in RiskCat
- Specify if the classifications under a Supergroup are expanded to Class or Definition level or not expanded at all, by default
- Specify the alignment of your Supergroup titles e.g. left, right or centred

To access the Classification Supergroup Sorter page


- 1 Click on the 'Goto the Supergroup Sorter' link on ANY of the Classification Editor pages




Classification Supergroup Sorter

	<ul style="list-style-type: none"> Absconding Skin Integrity Falls Infection Control Diagnostic Client Mgt MET Call 	<ul style="list-style-type: none"> Medication Blood Matters Pharmacy Obstetrics Maternity 	<ul style="list-style-type: none"> Operational Matters Communication & Disputes Miscellaneous Anatomical/OHS Psychological Trauma 	<ul style="list-style-type: none"> Weapons 				
--	--	--	--	---	--	--	--	--

Supergroup Details



Click, hold and drag the  to move the Supergroups to where you want them. Click on a Supergroup to edit its properties.

Modify the title text and background colours

- 1 Click on the **Supergroup** name
- 2 Click on the respective **Change Color** button and 3 select a colour from the pop-up Color Picker
- 4 If you know the hexadecimal colour code, type it next to the respective colour field or copy and paste from another Supergroup configuration

The screenshot shows the 'Classification Supergroup Sorter' interface. At the top, there is a grid of supergroups with columns for 'Absconding', 'Medication', 'Operational Matters', and 'Weapons'. The 'Substance Abuse' supergroup is highlighted in red. Below the grid, there are configuration fields for 'Text Color', 'Background Color', 'Title Text Color', and 'Title Background Color', each with a 'Change Color' button. A 'Color Picker' dialog is open, showing a color wheel and a selected color code '#00bbcc'. A 'Control Panel' is visible at the bottom left, and a 'There are' section is at the bottom right. Red circles 1, 2, 3, and 4 are overlaid on the image to indicate the steps described in the text.

Click, hold and drag the to move the Supergroups to where you want them.
Click on a Supergroup to edit its properties.

Example of how the colour selections affect your RiskCat

The diagram illustrates how color selections affect the RiskCat interface. It shows a 'RiskCat' window with a 'Substance Abuse' supergroup selected. The 'Substance Abuse' supergroup is highlighted in red. The 'Absconding' supergroup is highlighted in black. The 'Substance Type' supergroup is highlighted in light green. The 'Used By' and 'Found By' supergroups are highlighted in light blue. The 'Background Color' field is set to '#ffa55a'. Red arrows point from the 'Change Color' buttons in the configuration panel to the corresponding supergroups in the RiskCat window.

Specify a Supergroup is mandatory when it is displayed in RiskCat

If a Supergroup is displayed, you can specify if it is a mandatory selection i.e. at least one of the classes and/or definitions needs to be selected before the incident can be submitted. To do this

- 1 Click on the Supergroup name that is to be made mandatory
- 2 Check mark the “When shown, an entry in this supergroup is mandatory” field

Specify if only one item may be selected from a Supergroup

Users can be restricted to only select one classification from a Supergroup. To do this

- 1 Click on the **Supergroup** name
- 3 Check mark the “You may only select one item from this Supergroup” field

Classification Supergroup Sorter

Substance Abuse 1	Absconding	Medication	Operational Matters	Weapons
Elder Abuse	Skin Integrity	Blood Matters	Communication & Disputes	
Aggression	Falls	Pharmacy	Miscellaneous	
	Infection Control	Obstetrics	Anatomical/OHS	
	Diagnostic	Maternity	Psychological Trauma	
	Client Mgt			
	MET Call			

Supergroup Details

Text Color #000000 Change Color

Background Color #ffa5a5 Change Color

Title Text Color #ffffff Change Color

Title Background Color #000000 Change Color

Hide the selected Supergroup when 'Incident involved' is of these types

Hint: Hold <Ctrl> to select multiple items.

- Client
- Patient/Client
- Resident
- Staff Member
- Volunteer
- Relative/Visitor

Supergroup Initial State Expanded To Class ▼

Supergroup Title Alignment center ▼

When shown, an entry in this supergroup is Mandatory. 2

You may only select one item from this Supergroup. 3

Control Panel

- [Review RiskCat Selector.](#)
- [Goto the 'Mandatory Class Editor'.](#)
- [Goto the 'Classification Editor'.](#)
- [Goto the 'Classification Remapper'.](#)

There are Unsaved Changes.

- [Save Changes Now.](#)
- [Cancel Changes.](#)

Click, hold and drag the to move the Supergroups to where you want them. Click on a Supergroup to edit its properties.

Altering the visual layout of your Supergroups

You are able to define the default layout for your Supergroups, including whether a Supergroup will display

- Fully collapsed, fully expanded, or expanded to the Class level and
- Left Justified, Right Justified or Centred

To change the initial state of a Supergroup

- 1 Click on the Supergroup name
- 2 Select the desired option from the **Supergroup Initial State** list box

Classification Supergroup Sorter

Substance Abuse 1	Absconding	Medication	Operational Matters	Weapons
Elder Abuse	Skin Integrity	Blood Matters	Communication & Disputes	
Aggression	Falls	Pharmacy	Miscellaneous	
	Infection Control	Obstetrics	Anatomical/OHS	
	Diagnostic	Maternity	Psychological Trauma	
	Client Mgt			
	MET Call			

Supergroup Details

Text Color █
[Change Color](#)

Background Color █
[Change Color](#)

Title Text Color █
[Change Color](#)

Title Background Color █
[Change Color](#)

When shown, an entry in this supergroup is Mandatory.

You may only select one item from this Supergroup.

Hide the selected Supergroup when 'Incident involved' is of these types
Hint: Hold <Ctrl> to select multiple items.


- Client
- Patient/Client
- Resident
- Staff Member
- Volunteer
- Relative/Visitor

Supergroup Initial State Expanded To Class 2
Fully Expanded
Expanded To Class
Fully Collapsed

Supergroup Title Alignment Fully Collapsed


Suggestion: If you select **“Fully Collapsed”** position your Supergroups in one column - like a tree view. Refer to the section **“How do I arrange my Supergroups into a tree view”** for assistance

- 3 **Fully Expanded:** RiskCat will be expanded to Definition level (3rd level)
- 4 **Expanded to Class:** Default setting where RiskCat is expanded to the Class level (2nd level). Users can expand to the 3rd level by clicking on an individual Class or by pressing **Show All**
- 5 **Fully Collapsed:** RiskCat will not be expanded, and all that is viewed are the Supergroup headings. The user can then expand individual Supergroups to the Class and Definition levels or press **Show All** to fully expand all the classifications




To change the title alignment for a Supergroup

- 1 Click on the **Supergroup** name



- 2 Select the desired alignment from the **Supergroup Title Alignment** dropdown box



Supergroups can be hidden based on selected 'Incident Involved' types

Supergroups can be hidden based on a selected 'Incident Involved' type. For example, you may only want to show specific clinical Supergroups for Patient/Client/Resident incidents and OH&S specific Supergroups for Staff incidents

- 1 Click on the **Supergroup** name
- 2 Next to the **Hide the selected Supergroup when 'Incident Involved' is of these types**, highlight the 'Incident Involved' types that you wish this Supergroup to be **HIDDEN**

Note: Hold your CTRL key when selecting more than one type

Classification Supergroup Sorter

Substance Abuse	Absconding	Medication	Operational Matters	Weapons 1
Elder Abuse	Skin Integrity	Blood Matters	Communication & Disputes	
Aggression	Falls	Pharmacy	Miscellaneous	
	Infection Control	Obstetrics	Anatomical/OHS	
	Diagnostic	Maternity	Psychological Trauma	
	Client Mgt			
	MET Call			

Supergroup Details

Text Color #000000 Change Color

Background Color #ffa0a0 Change Color

Title Text Color #ffffff Change Color

Title Background Color #000000 Change Color

When shown, an entry in this supergroup is Mandatory.

You may only select one item from this Supergroup.

Hide the selected Supergroup when 'Incident involved' is of these types

Hint: Hold <Ctrl> to select multiple items.

Client

Patient/Client 2

Resident

Staff Member

Volunteer

Relative/Visitor

Supergroup Initial State Expanded To Class ▼

Supergroup Title Alignment center ▼

Control Panel

- [Review RiskCat Selector.](#)
- [Goto the 'Mandatory Class Editor'.](#)
- [Goto the 'Classification Editor'.](#)
- [Goto the 'Classification Remapper'.](#)

There are Unsaved Changes.

- [Save Changes Now.](#)
- [Cancel Changes.](#)

How do I arrange my Supergroups into a tree view?

- 1 Drag the Supergroups into the first column, until there are no rows left and press **Save Changes Now**
You will notice that 3 additional blank rows appear
- 2 If you have more Supergroups to arrange continue to drag your Supergroups to the blank rows. Once these rows are filled with Supergroups you will need to press **Save Changes Now** so save your changes and add an additional 3 blank rows to the first column

Continue with the above steps until you have dragged all your Supergroups to the one column

Suggestion: If you wish to display your Supergroups in one column, change the **Supergroup Initial State = Fully Collapsed** to enable a tree view. In this way a user will not see all the classifications at once and can expand individual Supergroups and Classes to see the list of respective Definitions

Classification Supergroup Sorter

<ul style="list-style-type: none"> Substance Abuse Elder Abuse Aggression Absconding Skin Integrity Falls Infection Control Diagnostic Client Mgt MET Call Medication Blood Matters Pharmacy Obstetrics 	<ul style="list-style-type: none"> Operational Matters Communication & Disputes Miscellaneous Anatomical/OHS Psychological Trauma 	<ul style="list-style-type: none"> Weapons
<div style="border: 1px solid red; padding: 2px; display: inline-block; background-color: #e0e0ff;">Maternity</div>		

Supergroup Details

Control Panel

- [Review RiskCat Selector](#)
- [Goto the 'Mandatory Class Editor'](#)
- [Goto the 'Classification Editor'](#)
- [Goto the 'Classification Remapper'](#)

There are Unsaved Changes.

- [Save Changes Now.](#)
- [Cancel Changes.](#)

Click, hold and drag the to move the Supergroups to where you want them.
Click on a Supergroup to edit its properties.

Example of your RiskCat arranged in a tree view

- + Substance Abuse
- + Elder Abuse
- + Aggression
- + Absconding
- + Skin Integrity
- + Falls
- + Infection Control
- + Diagnostic

Example of one of the Supergroups expanded in RiskCat

To view the Classes & Definitions under a Supergroup, click on the respective **Expand [+]** button



What happens to my existing incidents if changes are made to RiskCat?

If you make changes to the classifications in RiskCat your existing incidents (unposted and posted) will still retain the classifications originally selected.

It is **STRONGLY RECOMMENDED** that you re-map your existing **posted** incidents (where applicable) to your new classification set. This is to ensure that you have consistency with your Incident Reporting. It is not necessary to re-map your unposted incidents as you may like to keep the originally selected classifications for historical purposes.

Re-mapping of RiskCat classifications can be done through the re-mapping tool which is available from any of the Classification Editor pages

To access the Classification Re-Mapper page

- 1 Click on the **Goto the Classification Remapper** link in the respective 'Control panel'

Classification Supergroup Sorter

Substance Abuse	Absconding	Medication	Obstetrics	Operational Matters	Weapons
Elder Abuse	Skin Integrity	Blood Matters	Maternity	Communication & Disputes	
Aggression	Falls	Pharmacy		Miscellaneous	
	Infection Control			Anatomical/OHS	
	Diagnostic			Psychological Trauma	
	Client Mgt				
	MET Call				

Supergroup Details

Control Panel

- [Review RiskCat Selector](#)
- [Goto the 'Mandatory Class Editor'](#)
- [Goto the 'Classification Editor'](#)
- [Goto the 'Classification Remapper'](#) 1

Click, hold and drag the to move the Supergroups to where you want them.
Click on a Supergroup to edit its properties.

Re-mapping Incidents to New Classifications

To only view a list of the classifications no longer active in the modified RiskCat for **Posted Incidents**, uncheck **1** [Apply to both Posted and Unposted\(otherwise just Posted\).](#)

To view a list of the classifications no longer active in the modified RiskCat for **Posted and Unposted Incidents** check **2** [Apply to both Posted and Unposted\(otherwise just Posted\).](#)

In both cases the list of “orphaned” classifications (ie. no longer available in RiskCat) will display in the left hand column labeled **3** “Existing Classifications”

The screenshot shows the 'Classification Re-mapper' interface. At the top, there is a navigation bar with 'My Workspace', 'Management', 'Administration', 'Analysis', 'Help', and 'Log Out'. The user is identified as 'System Manager (Manag)'. The main heading is 'Classification Re-mapper'. Below the heading, instructions state: 'Drag an existing Classification from the left onto a current Classification on the right, to remap the classifications to the new wording. You are currently viewing ALL existing classifications.' A red warning message says: 'You are currently recording the mapping and changes will NOT happen immediately. There are currently 7 replacements recorded for remap.' The 'Control Panel' contains several options: 'Only show Orphaned classifications.' (unchecked), 'Apply to both Posted and Unposted(otherwise just Posted).' (checked), 'Remember the Changes, to review and apply later.' (checked), and 'Review the recorded changes.' (button). On the left, 'Existing Classifications' are listed in a tree view: Workplace Behaviour (marked with a red '2'), Work Health and Safety, Unplanned returns/readmissions/transfers, Surgical/Theatre, Skin Integrity, Service information, Security, Radiation Oncology, and Patient Complications - General. On the right, 'Defined Classifications' are listed: 3rd Party Providers, Administrative / Contractual, Access (with sub-items: Admission, Discharge, Information, Other Services, Staff, Treatment).

To re-map the existing classes/definitions to the modified active RiskCat


- ❶ Click on the class or definition from the **Existing Classifications** list and holding your mouse,
- ❷ drag it over the top of the Class or Definition that you wish to re-map to in the **Defined Classification** list

The yellow arrow icon ➡ identifies the Class/Definition remapping to

For each class/definition that is re-mapped, it will be removed from the **Existing Classifications** list on the left.

Once all the classes/definitions are re-mapped for the selected Supergroup listing, it will disappear from the **Existing Classifications** list on the right.

Note: Ideally there should be no classifications listed in the Existing Classifications list for posted incidents after you have done the re-mapping



To re-map the existing classes/definitions to the modified active RiskCat

- 1 Click on the class or definition from the **Existing Classifications** list and holding your mouse,
- 2 drag it over the top of the Class or Definition that you wish to re-map to in the **Defined Classification** list

For each class/definition that is re-mapped, it will be removed from the **Existing Classifications** list. Once all the classes/definitions are re-mapped for the selected Supergroup listing, it will disappear from the **Existing Classifications** list

Note: Ideally there should be no classifications listed in the Existing Classifications list for posted incidents after you have done the re-mapping

The screenshot shows the 'Classification Re-mapper' interface. At the top, there is a navigation bar with tabs for 'My Workspace', 'Management', 'Administration', 'Analysis', 'Help', and 'Log Out'. The user is identified as 'System Manager (Manage)'. The main heading is 'Classification Re-mapper'. Below the heading, instructions state: 'Drag an existing Classification from the left onto a current Classification on the right, to remap the classifications to the new wording. You are currently viewing ALL existing classifications.' A red warning message says: 'You are currently recording the mapping and changes will NOT happen immediately. There are currently 7 replacements recorded for remap.' A 'Control Panel' section contains several options: 'Goto the 'Classification Editor'', 'Goto the 'Supergroup Sorter'', 'Goto the 'Mandatory Class Editor'', 'Apply the recorded changes.', 'Only show Orphaned classifications.', 'Apply to both Posted and Unposted (otherwise just Posted).', 'Remember the Changes, to review and apply later.', and 'Review the recorded changes.'. The interface is split into two columns: 'Existing Classifications' and 'Defined Classifications'. The 'Existing Classifications' list includes 'Workplace Behaviour', 'Work Health and Safety', 'Unplanned returns/readmissions/transfers' (with sub-items 'Unplanned Return to Theatre', 'Unplanned Admission to ICU', 'Transfer to Higher level of Care', 'Readmission to ICU', 'Readmission to Hospital'), and 'Surgical/Theatre'. The 'Defined Classifications' list includes '3rd Party Providers', 'Administrative / Contractual', 'Access' (with sub-items 'Admission', 'Discharge', 'Information', 'Other Services', 'Staff', 'Treatment'). A red circle with the number '1' is placed over 'Unplanned Return to Theatre' in the Existing list, and a red circle with the number '2' is placed over 'Admission' in the Defined list.

- 3 Before you apply the changes check your changes by clicking on the **Review the recorded changes** link. A pop-up spreadsheet will display your changes.
- 4 If a re-mapping is not correct, click on the respective **Delete** button. The classification will be available to re-map again from the **Existing Classifications** list
- 5 Once you are happy with the re-mapping changes that you have done, click on the **Apply the recorded changes** link. The re-mapping will not take long

Once it is finished the **Apply the recorded changes** link will no longer be visible on the 'Classification Re-mapper' page

Outstanding Remaps

Classification Re-mapper

	Old Supergroup	Old Class	Old Definition	New Supergroup	New Class	New Definition
Delete	Behaviours of Concern	Self Harm		Access	Information	
Delete	Business Continuity Failure	IT/Communication Failure		Administration	Other	
Delete	Fall	Fall		Behaviours of Concern	Abscond	
Delete	Medication	Administration	4	Access	Transport	
Delete	Medication	Inventory		Access	Discharge	
Delete	Behaviours of Concern	Self Harm		Behaviours of Concern	Suicide	
Delete	Nutrition	Nutrition		3rd Party Providers	Administrative / Contractual	
Delete	Behaviours of Concern	Self Harm		Behaviours of Concern	Self Harm	

Close